

# EXTENSÕES

Flexibilidade e variedade  
para suas instalações.



## Extensões

### Fio Paralelo 1mm<sup>3</sup>



57410/907  
57410/908



57410/970



57410/971



57410/972



57410/973

### Pote



57418/970

### Cabide




57501/010  
57501/015  
57501/020

57502/010  
57502/015  
57502/020  
57502/030



57503/020



REF.	EMB.	789.1435.	DIMENSÕES	COR
<b>fio paralelo 1 mm<sup>2</sup> [acompanham plugues macho e fêmea]</b>				
57410/907	10	01241 5	2 m	
57410/908	10	01242 2	5 m	
57410/970	6	03142 3	5 m	
57410/971	6	03143 0	5 m	
57410/972	6	03144 7	5 m	
57410/973	6	03145 4	5 m	

### pote [acompanham plugues macho e fêmea]

57418/970	15	03495 0	extensões coloridas 3 m - fio 0,75 mm
-----------	----	---------	---------------------------------------

Pote com 6 cores: cinza, preto, verde, bege, azul e laranja.

### cabide [2200W - 10A]

57501/010	6	03148 5	10 m - ø 1,0 mm	
57501/015	6	04203 0	15 m - ø 1,0 mm	
57501/020*	6	03149 2	20 m - ø 1,0 mm	
57502/010	6	04379 2	10 m - ø 1,5 mm	
57502/015	6	04385 3	15 m - ø 1,5 mm	
57502/020	6	04380 8	20 m - ø 1,5 mm	
57502/030*	6	04381 5	30 m - ø 1,5 mm	
57503/020	3	04384 6	20 m - ø 2,5 mm	

Cabide em material termoplástico. Fornecido com cabo PP plano com plugue macho e fêmea 2P.  
\*Suporta 600W em 127V~ e 1200W em 220V~.

### especificações técnicas das extensões

SEÇÃO TRANSVERSAL	COMPRIMENTO	TENSÃO	POTÊNCIA
1,0 mm <sup>2</sup>	10 metros	127V~	1200 W
		220V~	2200 W
	15 metros	127V~	1200 W
		220V~	2200 W
	20 metros	127V~	600 W
		220V~	1200 W
1,5 mm <sup>2</sup>	10 metros	127V~	1200 W
		220V~	2200 W
	15 metros	127V~	1200 W
		220V~	2200 W
	20 metros	127V~	1200 W
		220V~	2200 W
30 metros	127V~	600 W	
	220V~	1200 W	
2,5 mm <sup>2</sup>	20 metros	127V~	1200 W
		220V~	2200 W

## Extensões Telefonia



57401/816



57401/818



57401/820



57401/822



57401/115

## Tomadas Múltiplas



57504/062



57504/063



57504/064



REF.	EMB.	789.1435.	DESCRIÇÃO	COR
------	------	-----------	-----------	-----

### telefonia

57401/816	50	02879 9	espiral americano 2 m	
57401/818	50	02881 2	lisa adaptador 5 m	
57401/820	50	02883 6	lisa Telebrás adaptador americano 5 m	
57401/822	50	02885 0	lisa Telebrás 5 m	

### plugue macho para telefone 4P + RJ11




57401/115	10	024449	
	100		

REF.	EMB.	789.1435.	DESCRIÇÃO
------	------	-----------	-----------

### tomadas múltiplas 2P+T\*

57504/062	20	05592 4	2 tomadas 2P+T 10A – 250V~
57504/063	20	05593 1	3 tomadas 2P+T 10A – 250V~
57504/064	20	05594 8	4 tomadas 2P+T 10A – 250V~

\*Somente na cor branco.



## Extensões Múltiplas



57504/019



57504/020



57504/021



57504/029



57504/030



57504/031

REF.	DESCRIÇÃO	DIMENSÃO	EMB.	789.1435.
<b>3 tomadas</b>				
57504/019	extensão 3 tomadas 2P+T 10A 250V~	1,5 m	12	06093 5
57504/020	extensão 3 tomadas 2P+T 10A 250V~	3 m	12	05183 4
57504/021	extensão 3 tomadas 2P+T 10A 250V~	5 m	6	05184 1
<b>5 tomadas</b>				
57504/029	extensão 5 tomadas 2P+T 10A 250V~	1,5 m	12	06094 2
57504/030	extensão 5 tomadas 2P+T 10A 250V~	3 m	12	05185 8
57504/031	extensão 5 tomadas 2P+T 10A 250V~	5 m	6	05186 5